HEAD OFFICE



38 May Holman Drive Bassendean WA 6054 T: (61 8) 6270 4500 F: (61 8) 6270 4544

E: admin@agentsales.com.au

Safety Data Sheet

1. IDENTIFICATION OF THE PRODUCT AND THE SUPPLIER

1.1 Product identifiers

Product name : SODIUM METABISULPHITE

1.2 Other means of identification

Sodium metabisulfite, sodium pyrosulphite, SMBS, sodium disulphite, birlasulf.

1.3 Recommended use of the product and restrictions on use

Antioxidant, food additive (preservative), reducing agent, whitening agent, chlorine neutraliser.

DO NOT COMBINE WITH OTHER CHEMICALS OR PRODUCTS UNLESS SPECIFIED BY MANUFACTURER.

Details of supplier of the safety data sheet

Company : AGent Sales & Services Pty Ltd

Street address : 38 May Holman Drive, Bassendean, Western Australia 6054

Telephone : (+61 8) 6270 4500 Fax : (+61 8) 6270 4544

1.4 Emergency telephone number

Telephone : 1300 883 844

2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

HAZARDOUS according to the criteria of the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals & Safe Work Australia.

2.1 GHS Classification

Acute toxicity, Oral (Category 4)
Eye damage/irritation (Category 1)

GHS Label elements, including precautionary statements

Pictogram :





Signal word : Danger

Hazard statement(s)

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Product Name: Sodium Metabisulphite Date of Issue: November, 2016

Precautionary statement(s)

Prevention

P102 Keep out of reach of children.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear eve protection/ face protection.

Response

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you

feel unwell. Rinse mouth.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

2.2 Other hazards

AUH031 Contact with acids liberates toxic gas.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Classification	Concentration (%)
Sodium Metabisulphite	7681-57-4	Acute Tox. 4; Eye Dam.1; H302, H318	≥ 99

For the full text of the H-Statements mentioned in this section, see Section 16

4. FIRST AID MEASURES

4.1 Description of First Aid measures

General advice

Contact the Poisons Information Centre (Phone: Australia 131 126; New Zealand 0800 764 766) or consult a doctor/physician. Show this safety data sheet to the doctor in attendance.

If inhaled

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

In case of skin contact

If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.

In case of eye contact

Immediately rinse with large amounts of water for at least 15 minutes, keeping eyelids open. Protect uninjured eye. Remove clothing if contaminated and wash skin. Consult a physician immediately.

If swallowed

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek immediate medical assistance.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in Section 2.2 and/or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Can cause corneal burns

4.4 First Aid facilities

Eye wash facilities and safety shower should be available.

5. FIRE FIGHTING MEASURES

5.1 Suitable extinguishing media

Not combustible, however, if material is involved in a fire use: Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

5.2 Special hazards arising from the chemical

When heated to decomposition it emits toxic oxides of sulphur.

Product Name: Sodium Metabisulphite

Date of Issue: November, 2016

Version: 1.0

Page 2 of 6

Special protective equipment and precautions for fire fighters

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition

5.3 Hazchem code

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see Section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. If contamination of sewers or waterways has occurred, advise local emergency services. Observe all local and national regulations.

6.3 Methods and materials for containment and cleaning up

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation. Contain and sweep/shovel up spills with dust binding material or use an industrial vacuum cleaner. Avoid creating dust. Transfer to a suitable, labelled container and dispose of promptly as hazardous waste. After the product has been recovered, rinse the area and materials involved with water

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid skin and eye contact and breathing in vapour, mists and aerosols. Keep out of reach of children.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place and out of direct sunlight. Store away from incompatible materials described in Section 10. Store away from foodstuffs. Do not store in aluminium containers. Do not store in galvanised containers. Keep containers closed when not in use - check regularly for leaks.

This material is NOT classified as a Dangerous Goods by the criteria of the ADG Code.

This material is a Scheduled Poison S5 and must be stored, maintained and used in accordance with the relevant regulations.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters - Occupational Exposure Limits

Chemical Name	Reference	TWA – Peak Limitation		STEL		Carcinogen	Notices
		ppm	mg/m ³	ppm	mg/m ³	Category	
Sodium Metabisulphite (7681-57-4)	ASCC	-	5	-	-	-	-

As published in "Workplace Exposure Standards for Airborne Contaminants, December 2011" by SWA.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Biological Limits

None allocated for this product.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. If safe exposure levels are exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements

Product Name: Sodium Metabisulphite

Date of Issue: November, 2016 Version: 1.0 Page 3 of 6

Personal protective equipment (PPE)

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods and environmental factors.

Eye/face protection

Safety glasses or goggles, full faceshield (where necessary). See Australian Standards (AS/NZS 1336 & 1337).

Skin protection

Wear protective gloves (elbow length), protective clothing and safety footwear (splash apron and rubber boots) appropriate for the risk of exposure. See Australian Standards (AS 2161 & 2919 and AS/NZS 2210). Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use. Wash and dry hands.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination or type ABEK respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. See Australian Standards (AS/NZS 1715 & 1716).

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Form: Solid

Colour: White

Odour: Characteristic (sulphurous)

Odour Threshold: No data available

pH: 4 - 5

Melting Point: ca. 150 °C

Boiling Point/Range: No data available

Decomposition Temperature: > 150 °C

Evaporation Rate:No data availableFlash Point:Not applicableFlammability Limits:Not applicable

Specific Gravity: 1.48

Vapour Density (air=1):No data availableVapour Pressure:No data available% Volatiles:No data availableSolubility in water:640 g/L (@ 20 °C)

10. STABILITY AND REACTIVITY

10.1 Reactivity

Contact with acids liberates toxic gas.

10.2 Chemical stability

Slowly oxidized on exposure to air and moisture.

10.3 Possibility of hazardous reactions

None known

10.4 Conditions to avoid

Keep away from heat and sources of ignition. Protect from moisture. Avoid dust generation. Avoid exposure to direct sunlight. Avoid exposure to heat.

10.5 Incompatible materials

Incompatible with acids, and oxidising agents.

10.6 Hazardous decomposition products

Sulphur dioxide.

Product Name: Sodium Metabisulphite

Date of Issue: November, 2016 Version: 1.0 Page 4 of 6

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD₅₀ Oral, rat is 1540mg/kg

Respiratory or skin sensitisation

Sodium metabisulfite can sensitise the respiratory tract of allergic persons.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

Health Effects

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Eye contact: A severe eye irritant. Corrosive to eyes; contact can cause corneal burns.

Contamination of eyes can result in permanent injury.

Skin contact: Contact with skin may result in irritation. May cause skin sensitisation in sensitive

individuals. Repeated or prolonged skin contact may lead to allergic contact

dermatitis

Ingestion: Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and

chemical burns to the gastrointestinal tract.

Inhalation: Breathing in dust may result in respiratory irritation. May cause respiratory

sensitisation in sensitive individuals, producing asthma-like symptoms.

11.2 Information on possible routes of exposure

The substance can be absorbed into the body by inhalation of its aerosol, ingestion, skin and/or eye contact.

12. ECOGICAL INFORMATION

12.1 Ecotoxicity

Avoid contaminating waterways.

Toxicity to fish:

 LC_{50} (S. gairdnerii, fish) = 150-220 mg/L, 96h

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Other adverse effects

No data available.

13. DISPOSAL CONSIDERATIONS

13.1 Disposal methods and containers

Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.

13.3 Special precautions for landfill or incineration

Contact a specialist disposal company or the local waste regulator for advice.

Product Name: Sodium Metabisulphite

Date of Issue: November, 2016

Version: 1.0

Page 5 of 6

14. TRANSPORT INFORMATION

NOT Classified as a Dangerous Goods by the criteria of the ADG Code for transport by road or rail; NON-DANGEROUS GOODS.

NOT Classified as a Dangerous Goods by the criteria of the IMDG Code for transport by sea; NON-DANGEROUS GOODS.

NOT Classified as a Dangerous Goods by the criteria of the IATA Code for transport by air; NON-DANGEROUS GOODS.

14.1 Proper shipping name

ADG: SODIUM METABISULPHITE IMDG: SODIUM METABISULPHITE SODIUM METABISULPHITE

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

S5 Poison

Carcinogen classification under WHS Regulations 2011, Schedule 10

Not listed

Notification status

AICS On the inventory, or in compliance with the inventory.

16. OTHER INFORMATION

Key / legend to abbreviations and acronyms used in the MSDS

ADG Australian Dangerous Goods

ASCC Australian Safety and Compensation Council
DEC Department of Environment and Conservation

GHS Globally Harmonised System of Classification & Labelling of Chemicals

SUSDP Standard for the Uniform Scheduling of Drugs and Poisons

Eye Dam. Serious eye damage
TWA Time weighted average
STEL Short term exposure level
SWA Safe Work Australia

LC₅₀ Lethal concentration that kills 50% of an animal population within a specified time TD Lo The lowest dose of a substance known to have produced signs of toxicity

RTECS Registry of Toxic Effects of Chemical Substances

g/L Grams per litre

g/cm³ Grams per cubic centimetre mg/m³ Milligrams per cubic metre mg/kg Milligrams per kilogram

pH Relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14

is highly alkaline

WHS Work Health and Safety

Literature references

"Workplace Exposure Standards for Airborne Contaminants, December 2011" by SWA Work Health and Safety Regulations 2011

"Registry of Toxic Effects of Chemical Substances". Ed. D. Sweet, US Dept. of Health & Human Services: Cincinatti, 2012.

Reason(s) for Issue:

Revised primary SDS

Alignment to GHS requirements

Disclaimer

AGent Sales & Services Pty Ltd provides the information contained herein in good faith but makes no representation as to its' comprehensiveness or accuracy. A properly trained person using this product intends this document only as a guide to the appropriate precautionary handling of the material. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. AGent Sales & Services Pty Ltd makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, AGent Sales & Services Pty Ltd will not be responsible for damages resulting from use of or reliance upon this information.

Product Name: Sodium Metabisulphite

Date of Issue: November, 2016

Version: 1.0

Page 6 of 6