



SALES & SERVICES

HEAD OFFICE
38 May Holman Drive
Bassendean WA 6054
T: (61 8) 6270 4500
F: (61 8) 6270 4544

E: admin@agentsales.com.au

Safety Data Sheet

1. IDENTIFICATION OF THE PRODUCT AND THE SUPPLIER

1.1 Product identifiers

Product name : POOLKING DRY ACID

1.2 Other means of identification

Sodium hydrogen sulphate, dry acid, NaHSO₄, alkalinity/pH decriaser.

1.3 Recommended use of the product and restrictions on use

Used in mineral fusion, carbonic acid baths, pickling metals, carbonising wools, bleaching and swelling leathers, pH adjustment of swimming pools and in magnesia cement.

1.4 Details of supplier of the safety data sheet

Company : AGent Sales & Services Pty Ltd

Street address : 38 May Holman Drive, Bassendean, Western Australia 6054

Telephone : (+61 8) 6270 4500

Fax : (+61 8) 6270 4544

1.5 Emergency telephone number

Telephone : 1300 883 844

2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Goods by the criteria of the ADG Code for transport by road or rail.

2.1 GHS Classification

Serious eye damage (Category 1)

GHS Label elements, including precautionary statements

Pictogram :



Signal word : Danger

Hazard statement(s)

H318 Causes serious eye damage.

Precautionary statement(s)

Prevention

P280 Wear protective gloves/ eye protection/ face protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

2.2 Other hazards

None.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Classification	Concentration (%)
Sodium hydrogen sulphate	7681-38-1	Eye Dam. 1; H318	≤ 100

For the full text of the H-Statements mentioned in this section, see Section 16

4. FIRST AID MEASURES

4.1 Description of First Aid measures

General advice

Contact the Poisons Information Centre (Phone: Australia 131 126; New Zealand 0800 764 766) or consult a doctor/physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in Section 2.2 and/or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

4.4 First Aid facilities

Eye wash facilities and safety shower should be available.

5. FIRE FIGHTING MEASURES

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the chemical

Sulphur oxides, sodium oxides.

5.3 Special protective equipment and precautions for fire fighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Hazchem code

None

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see Section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. If contamination of sewers or waterways has occurred, advise local emergency services. Observe all local and national regulations.

6.3 Methods and materials for containment and cleaning up

Contain and sweep/shovel up spills with dust binding material or use an industrial vacuum cleaner. Transfer to a suitable, labelled container and hold for safe disposal. Disposal according to local regulations (see Section 13).

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Avoid contact with skin and eyes. Observe good personal hygiene practices – wash thoroughly after handling. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition.

For precautions see Section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in Section 10. Protect from heat and moisture.

This material is not classified as a Dangerous Goods by the criteria of the ADG Code and must be stored and handled in accordance with the relevant regulations.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). However, the exposure standard for dust not otherwise specified is:

Chemical Name	Reference	TWA – Peak Limitation		STEL		Carcinogen Category	Notices
		ppm	mg/m ³	ppm	mg/m ³		
Inspirable dust	ASCC		10.0				
Respirable dust	ASCC		3.0				

As published in “Workplace Exposure Standards for Airborne Contaminants, December 2011” by SWA.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Biological Limits

None allocated for this product.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements

Personal protective equipment (PPE)

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods and environmental factors.

Eye/face protection

Chemical safety goggles with side shield (AS1336/1337).

Skin protection

Wear protective gloves, protective clothing and safety appropriate for the risk of exposure. See Australian Standards (AS 2161 & 2919 and AS/NZS 2210). Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use. Wash and dry hands.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination or type ABEK respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. See Australian Standards (AS/NZS 1715 & 1716).

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Form : Crystals Colour : White
Odour:	No data available
Odour Threshold:	No data available
pH:	1.3 @ 1% solution
Melting Point:	ca. 315°C
Boiling Point/Range:	Decomposes
Decomposition Temperature:	No data available
Evaporation Rate:	No data available
Flash Point:	Not applicable
Flammability Limits:	No data available
Relative Density:	2.43 g/cm ³
Bulk Density:	No data available
Vapour Density (air=1):	No data available
Vapour Pressure:	No data available
% Volatiles:	No data available
Solubility in water:	285 g/L @ 25°C – completely soluble

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Product is stable under normal conditions of use, storage and temperature.

10.3 Possibility of hazardous reactions

In contact with water, the product forms an acid solution which is corrosive. Acid solutions react with many metals forming hydrogen..

10.4 Conditions to avoid

Exposure to moisture. Exposure to water vapour.

10.5 Incompatible materials

Incompatible with strong bases, oxidising agents, metals, water and sources of ignition.

10.6 Hazardous decomposition products

Hazardous polymerization has not been reported.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Skin corrosion/irritation

Skin – Rabbit : Result : No skin irritation – 4h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes – Rabbit : Result : Risk of serious damage to eyes (OECD Test Guideline 405)

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available.

Specific target organ toxicity (STOT) - single exposure

No data available.

Specific target organ toxicity (STOT) - repeated exposure

No data available

Aspiration hazard

No data available

Health Effects

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Eye contact : Risk of serious damage to eyes.

Skin contact : Very irritating to skin when wet.

Ingestion : May cause nausea, vomiting, headaches, dizziness, gastrointestinal irritation.

Inhalation : Very irritating to respiratory system.

11.2 Information on possible routes of exposure

The substance can be absorbed into the body by inhalation, ingestion, skin and eye contact.

11.3 Additional Information

RTECS: VZ1860000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION**12.1 Ecotoxicity**

Avoid contaminating waterways.

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available. Soluble in water.

12.5 Other adverse effects

No data available.

13. DISPOSAL CONSIDERATIONS**13.1 Disposal methods and containers**

Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.

13.3 Special precautions for landfill or incineration

Contact a specialist disposal company or the local waste regulator for advice.

14. TRANSPORT INFORMATION

Not classified as a Dangerous Goods by the criteria of the ADG Code for transport by road or rail

Not classified as a Dangerous Goods by the criteria of the IMDG Code for transport by sea

Not classified as a Dangerous Goods by the criteria of the IATA Code for transport by air

14.1 UN number

ADG : Not allocated

IMDG : Not allocated

IATA : Not allocated

14.2 Proper shipping name

ADG : SODIUM BISULPHATE

IMDG : SODIUM BISULPHATE

IATA : SODIUM BISULPHATE

14.3 Transport hazard class

ADG : Not allocated

IMDG : Not allocated

IATA : Not allocated

14.4 Packing group

ADG : Not allocated

IMDG : Not allocated

IATA : Not allocated

14.5 Environmental hazards

ADG : No

IMDG Marine Pollutant : No

IATA : No

14.6 Special precautions for users No data

14.7 Hazchem code

ADG : Not allocated

IMDG EMS : Not allocated

14.8 Dangerous goods initial emergency response guide (SAA/SNZ HB76:2010)

Not allocated

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Not listed

Carcinogen classification under WHS Regulations 2011, Schedule 10

S5

Notification status

AICS On the inventory, or in compliance with the inventory.

16. OTHER INFORMATION

Key / legend to abbreviations and acronyms used in the MSDS

ADG	Australian Dangerous Goods
ASCC	Australian Safety and Compensation Council
DEC	Department of Environment and Conservation
GHS	Globally Harmonised System of Classification & Labelling of Chemicals
NOHSC	National Occupational Health and Safety Commission
RTECS	Registry of Toxic Effects of Chemical Substances.
SUSDP	Standard for the Uniform Scheduling of Drugs and Poisons
Eye Dam.	Serious eye damage
H318	Causes serious eye damage
TWA	Time weighted average
STEL	Short term exposure level
SWA	Safe Work Australia
Peak Limitations	A ceiling concentration that should not be exceeded over a measurement period, which should be as short as possible, but not exceeding 15 minutes
LD ₅₀	Lethal dose 50. The single dose of a substance that causes the death of 50% of an animal population from exposure to the substance by any route other than inhalation
LC ₅₀	Lethal concentration that kills 50% of an animal population within a specified time
TD Lo	The lowest dose of a substance known to have produced signs of toxicity
RTECS	Registry of Toxic Effects of Chemical Substances
g/L	Grams per litre
g/cm ³	Grams per cubic centimetre
mg/m ³	Milligrams per cubic metre
mg/kg	Milligrams per kilogram
pH	Relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14 is highly alkaline
WHS	Work Health and Safety

Literature references

"Workplace Exposure Standards for Airborne Contaminants, December 2011" by SWA Work Health and Safety Regulations 2011

"Registry of Toxic Effects of Chemical Substances". Ed. D. Sweet, US Dept. of Health & Human Services: Cincinnati, 2012.

Reason(s) for Issue:

Revised primary SDS

Alignment to GHS requirements

Disclaimer

AGent Sales & Services Pty Ltd provides the information contained herein in good faith but makes no representation as to its' comprehensiveness or accuracy. A properly trained person using this product intends this document only as a guide to the appropriate precautionary handling of the material. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. AGent Sales & Services Pty Ltd makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, AGent Sales & Services Pty Ltd will not be responsible for damages resulting from use of or reliance upon this information.