HEAD OFFICE



38 May Holman Drive Bassendean WA 6054 T: (61 8) 6270 4500 F: (61 8) 6270 4544

E: admin@agentsales.com.au

Safety Data Sheet

1. IDENTIFICATION OF PRODUCT AND SUPPLIER

1.1 Product identifiers

Product name : POOLKING pH PLUS

1.2 Other means of identification

Soda Ash, pH Increaser, Disodium carbonate, sodium carbonate

1.3 Recommended use of the product and restrictions on use

General chemical.

1.4 Details of supplier of the safety data sheet

Company : AGent Sales & Services Pty Ltd

Street address : 38 May Holman Drive, Bassendean, Western Australia 6054

Telephone : (+61 8) 6270 4500 Fax : (+61 8) 6270 4544

1.5 Emergency telephone number

Telephone : (+61 8) 6270 4500

2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

2.1 GHS Classification

H315 - Skin irritant (Category 2) H319 - Eye irritant (Category 2A)

2.2 GHS Label elements, including precautionary statements



Pictogram :

Signal word : WARNING

Hazard statement(s) :

H315 - Skin irritant (Category 2) H319 - Eye irritant (Category 2A)

Precautionary statement(s)

Prevention

P260 Do not breathe dust / fume / gas / mist / vapours / spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / protective clothing / eye protection / face

protection.

Response

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Product Name: Poolking pH Plus
Date of Issue: September, 2016
Version:1.0
Page 1 of 6

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P363 Wash contaminated clothing before re-use.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Storage

No storage statements.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national

regulations.

Other hazards

None.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Classification	Concentration (%)
Sodium carbonate	497-19-8	H319, H315	> 99
Water	7732-18-5	N/A	Balance

For the full text of the H-Statements mentioned in this section, see Section 16

4. FIRST AID MEASURES

4.1 Description of First Aid measures

General advice

Contact the Poisons Information Centre (Phone: Australia 131 126; New Zealand 0800 764 766) or consult a doctor/physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If inhaled in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Remove contaminated clothing and wash affected areas with soap and running water for at least 15 minutes. Launder clothing before reuse.

In case of eye contact

In case of eye contact, check for and remove any contact lenses. Immediately rinse thoroughly with plenty of running water for at least 15 minutes, keeping eyelids open. If eye irritation persists, seek medical advice/attention.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in Section 2.2 and/or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

4.4 First Aid facilities

Eye wash facilities and safety shower should be available.

5. FIRE FIGHTING MEASURES

5.1 Suitable extinguishing media

If material is involved in a fire use: Extinguishing media appropriate to surrounding fire conditions.

5.2 Special hazards arising from the chemical

Non-combustible material. May liberate toxic fumes in fire. No other data available.

5.3 Special protective equipment and precautions for fire fighters

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

Product Name: Poolking pH Plus

Date of Issue: September, 2016

Version: 1.0

Page 2 of 6

5.4 Hazchem code

None allocated

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. If contamination of sewers or waterways has occurred, advise local emergency services. Observe all local and national regulations.

6.3 Methods and materials for containment and cleaning up

Slippery when spilt. Avoid accidents, clean up immediately. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. Wash area down with excess water.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour, mist and aerosol. Observe good personal hygiene, including washing hands before eating.

For precautions see Section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated place. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Exposure Standards:

Chemical Name	Reference	TWA		STEL		Carcinogen	Notices
		ppm	mg/m ³	ppm	mg/m³	Category	Notices
Inspirable Dust	ASCC	-	10	-	-	-	-

As published in "Workplace Exposure Standards for Airborne Contaminants, December 2011" by SWA

Biological Limits

None allocated for this product.

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment (PPE)

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods and environmental factors.

Eye/face protection

Splash-proof goggles. See Australian Standards (AS/NZS 1336 & 1337).

Skin protection

Wear impervious gloves and protective clothing (splash apron or equivalent chemical impervious outer garment and rubber boots) appropriate for the risk of exposure. See Australian Standards (AS 2161 & 2919 and AS/NZS 2210).

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use. Wash and dry hands.

Respiratory protection

Where risk assessment shows inhalation risk exists, wear a suitable mist respirator. See Australian Standards (AS/NZS 1715 & 1716).

Product Name: Poolking pH Plus

Date of Issue: September, 2016

Version: 1.0

Page 3 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Form : Solid, powder

Colour: White

Odour: None

Odour Threshold: No data available

pH: > 11 (50g g/L, H₂O, 25°C)

Melting Point:

Boiling Point/Range: No data available **Decomposition Temperature:** No data available **Evaporation Rate:** No data available Flash Point: Not applicable Flammability Limits: Not applicable

2.53 (anhydrous); 1.44 (decahydrate) **Specific Gravity:**

Vapour Density (air=1): No data available **Vapour Pressure:** No data available % Volatiles: No data available Solubility in water: 220 g/L @ 20°C

10. STABILITY AND REACTIVITY

10.1 Reactivity

Reactions violently acids to form carbon dioxide.

10.2 Chemical stability

Product is stable under normal conditions of use, storage and temperature. Hygroscopic. Readily absorbs moisture from the air.

10.3 Possibility of hazardous reactions

Polymerisation is not expected to occur. Reacts exothermically with strong acids evolving carbon dioxide.

10.4 Conditions to avoid

Avoid contact with acids, generating dust and exposure to moisture and extreme temperatures.

10.5 Incompatible materials

Incompatible with acids, aluminium, magnesium and alkali metals.

10.6 Hazardous decomposition products

Oxides of carbon. Oxides of sodium.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 (rate): 4090 mg/Kg (anhydrous) LC50 (rat): 2.3 mg/L/2hr (anhydrous)

Germ cell mutagenicity

No data available

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified IARC:

as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity (STOT) - single exposure

No data available

Product Name: Poolking pH Plus Date of Issue: September, 2016 Version:1.0 Page 4 of 6

Specific target organ toxicity (STOT) - repeated exposure

No data available

Health Effects

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Eye contact : Dust or concentrated solutions may irritate or burn the eyes. Contact may be

corrosive to the eyes causing oedema and corneal damage. Risks increase if

eyes are held tightly shut.

Skin contact: Dust and weak solutions may be irritating to skin of sensitive individuals causing

redness and blistering. More concentrated solutions may cause severe irritation

and burning.

Ingestion: No adverse effects expected, however, large amounts may cause nausea and

vomiting. May cause irritation to the mouth, throat and digestive tract.

Inhalation: Breathing in mists or aerosols may produce respiratory irritation with coughing,

sneezing and headaches.

11.2 Information on possible routes of exposure

The substance can be absorbed into the body by ingestion, inhalation of its vapour, mist or aerosol and skin contact.

11.3 Additional Information

RTECS: Not available

12. ECOGICAL INFORMATION

12.1 Ecotoxicity

Avoid contaminating waterways.

Toxicity to fish:

LC50 (L. macrochirus):300 mg/L/96 h EC50 (Daphnia magna): 265 mg/L/48 h

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Other adverse effects

No data available.

13. DISPOSAL CONSIDERATIONS

13.1 Disposal methods and containers

Ensure waste disposal conforms to relevant local, state and federal authority waste disposal regulations

14. TRANSPORT INFORMATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

14.1 UN number None allocated

14.2 Proper shipping name SODIUM CARBONATE

14.3 Transport hazard class None allocated
 14.4 Packing group None allocated
 14.5 Environmental hazards None allocated
 14.6 Special precautions for users None allocated
 14.7 Hazchem code None allocated

Product Name: Poolking pH Plus

Date of Issue: September, 2016 Version: 1.0 Page 5 of 6

None allocated

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

None allocated

Carcinogen classification under WHS Regulations 2011, Schedule 10

Not listed

Notification status

AICS On the inventory, or in compliance with the inventory.

SECTION 16 OTHER INFORMATION

Key / legend to abbreviations and acronyms used in the MSDS

ADG Australian Dangerous Goods

ASCC Australian Safety and Compensation Council DEC Department of Environment and Conservation

GHS Globally Harmonised System of Classification & Labelling of Chemicals

IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

NOHSC National Occupational Health and Safety Commission
SUSDP Standard for the Uniform Scheduling of Drugs and Poisons

RTECS Registry of Toxic Effects of Chemical Substances.

SWA Safe Work Australia

pH Relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14 is

highly alkaline

Full text of H-Statements referred to under sections 2 and 3.

H319 Serious eye damage/eye irritation

Literature references

"Workplace Exposure Standards for Airborne Contaminants, December 2011" by SWA Work Health and Safety Regulations 2011

"Registry of Toxic Effects of Chemical Substances". Ed. D. Sweet, US Dept. of Health & Human Services: Cincinatti, 2012.

Reason(s) for Issue: Alignment to GHS requirements

Disclaimer

AGent Sales & Services Pty Ltd provides the information contained herein in good faith but makes no representation as to its' comprehensiveness or accuracy. A properly trained person using this product intends this document only as a guide to the appropriate precautionary handling of the material. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. AGent Sales & Services Pty Ltd makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, AGent Sales & Services Pty Ltd will not be responsible for damages resulting from use of or reliance upon this information.

Product Name: Poolking pH Plus

Date of Issue: September, 2016

Version: 1.0

Page 6 of 6